

$f_2(1810)$

$I^G(J^{PC}) = 0^+(2^{++})$


OMMITTED FROM SUMMARY TABLE

Needs confirmation.

$f_2(1810)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT	
1815 ± 12 OUR AVERAGE		Error includes scale factor of 1.4. See the ideogram below.			
$1822^{+29+}_{-24-} 66$	5.5k	¹ ABLIKIM	13N BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$	
$1737 \pm 9^{+198}_{-65}$		² UEHARA	10A BELL	$10.6 e^+e^- \rightarrow e^+e^-\eta\eta$	
1800 ± 30	40	ALDE	88D GAM4	$300 \pi^- p \rightarrow \pi^- p 4\pi^0$	
1806 ± 10	1600	ALDE	87 GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$	
1870 ± 40		³ ALDE	86D GAM4	$100 \pi^- p \rightarrow \eta\eta n$	
1857^{+35}_{-24}		⁴ COSTA	80 OMEG	$10 \pi^- p \rightarrow K^+ K^- n$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1858^{+18}_{-71}		⁵ LONGACRE	86 RVUE	Compilation	
1799 ± 15		⁶ CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$	

WEIGHTED AVERAGE
 1815 ± 12 (Error scaled by 1.4)



$f_2(1810)$ mass (MeV)

¹ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.

² Breit-Wigner mass. Could also be the $f_2(1910)$.

³ Seen in only one solution.


⁴ Error increased by spread of two solutions. Included in LONGACRE 86 global analysis.

⁵ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

⁶ From an amplitude analysis of the reaction $\pi^+ \pi^- \rightarrow 2\pi^0$. The resonance in the $2\pi^0$ final state is not confirmed by PROKOSHKIN 97.

$f_2(1810)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
197 ± 22 OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.		
$229^{+52+88}_{-42-155}$	5.5k	7 ABLIKIM	13N BES3	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$
$228^{+21+234}_{-20-153}$		8 UEHARA	10A BELL	$10.6 e^+ e^- \rightarrow e^+ e^- \eta\eta$
160 ± 30	40	ALDE	88D GAM4	$300 \pi^- p \rightarrow \pi^- p 4\pi^0$
190 ± 20	1600	ALDE	87 GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$
250 ± 30		9 ALDE	86D GAM4	$100 \pi^- p \rightarrow \eta\eta n$
185^{+102}_{-139}		10 COSTA	80 OMEG	$10 \pi^- p \rightarrow K^+ K^- n$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
388^{+15}_{-21}		11 LONGACRE	86 RVUE	Compilation
280^{+42}_{-35}		12 CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$



⁷ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.

⁸ Breit-Wigner width. Could also be the $f_2(1910)$.

- ⁹ Seen in only one solution.
¹⁰ Error increased by spread of two solutions. Included in LONGACRE 86 global analysis.
¹¹ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.
¹² From an amplitude analysis of the reaction $\pi^+ \pi^- \rightarrow 2\pi^0$. The resonance in the $2\pi^0$ final state is not confirmed by PROKOSHKIN 97.
-

$f_2(1810)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\pi\pi$	
Γ_2 $\eta\eta$	seen
Γ_3 $4\pi^0$	seen
Γ_4 $K^+ K^-$	
Γ_5 $\gamma\gamma$	seen

$f_2(1810) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\eta\eta) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_2\Gamma_5/\Gamma$
<u>VALUE (eV)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
5.2^{+0.9+37.3} -0.8- 4.5	13 UEHARA 10A BELL 10.6 $e^+ e^- \rightarrow e^+ e^- \eta\eta$

¹³ Including interference with the $f'_2(1525)$ (parameters fixed to the values from the 2008 edition of this review, PDG 08) and $f_2(1270)$. May also be the $f_0(1500)$.

$f_2(1810)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
not seen	AMSLER 02 CBAR 0.9 $\bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$
not seen	PROKOSHKIN 97 GAM2 38 $\pi^- p \rightarrow \pi^0 \pi^0 n$
$0.21^{+0.02}_{-0.03}$	14 LONGACRE 86 RVUE Compilation
0.44 ± 0.03	15 CASON 82 STRC 8 $\pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$

¹⁴ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

¹⁵ Included in LONGACRE 86 global analysis.

$\Gamma(\eta\eta)/\Gamma_{\text{total}}$	Γ_2/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
seen	ABLIKIM 13N BES3 PWA of $J/\psi \rightarrow \gamma\eta\eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •	

$0.008^{+0.028}_{-0.003}$ 16 LONGACRE 86 RVUE Compilation

¹⁶ From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

$\Gamma(\pi\pi)/\Gamma(4\pi^0)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_1/Γ_3
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<0.75	ALDE	87	GAM4 100 $\pi^- p \rightarrow 4\pi^0 n$	

 $\Gamma(4\pi^0)/\Gamma(\eta\eta)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_3/Γ_2
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.8 \pm 0.3	ALDE	87	GAM4 100 $\pi^- p \rightarrow 4\pi^0 n$	

 $\Gamma(K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_4/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$0.003^{+0.019}_{-0.002}$	17 LONGACRE	86	RVUE Compilation	
seen	COSTA	80	OMEG 10 $\pi^- p \rightarrow K^+ K^- n$	

17 From a partial-wave analysis of data using a K-matrix formalism with 5 poles. Includes compilation of several other experiments.

f₂(1810) REFERENCES

ABLIKIM	13N	PR D87 092009	Ablikim M. <i>et al.</i>	(BESIII Collab.)
UEHARA	10A	PR D82 114031	S. Uehara <i>et al.</i>	(BELLE Collab.)
PDG	08	PL B667 1	C. Amsler <i>et al.</i>	(PDG Collab.)
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
PROKOSHKIN	97	PD 42 117	Y.D. Prokoshkin <i>et al.</i>	(SERP)
		Translated from DANS 353 323.		
ALDE	88D	SJNP 47 810	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
		Translated from YAF 47 1273.		
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>	(NDAM, ANL)
COSTA	80	NP B175 402	G. Costa <i>et al.</i>	(BARI, BONN, CERN, GLAS+)